

Monza ATF MB 17

Low Viscosity HC-Synthetic Automatic Transmission Fluid

Properties

- Excellent fuel economy.
- Excellent lubricity.
- Very high thermal stability.
- High, stable viscosity index.
- Very good oxidation stability.
- Protection against wear, corrosion and foam formation.
- Excellent cooling capacity.
- Excellent frictional stability.

Application notes

- Especially for the latest Mercedes-Benz 9-speed automatic transmissions (9G-Tronic) 725.0/ 725.1 and 4MATIC.
- **ATF MB 17** also meets the specifications of MB 236.16.
- **ATF MB 17** cannot be used in older Mercedes-Benz automatic transmissions and is not downwards compatible with MB-Approval MB 236.10, MB 236.12, MB 236.14, MB 236.15.

Observe manufacturer's instructions!

Service description

Recommendation*:

- MB 236.17

TYPICAL PARAMETERS	METHODS	UNITS	Monza ATF MB 17
Density at 15°C	DIN EN ISO 12185	g/cm ³	0.846
Viscosity at 40°C	DIN 51 562	mm ² /s	18.3
Viscosity at 100°C	DIN 51 562	mm ² /s	4.3
Viscosity index (VI)	DIN ISO 2909	-	150
Pour point	ASTM D 7346	°C	-54
Flash point COC	DIN ISO 2592	°C	184
Colour	-	-	yellow brown

August 2020

* meets the requirements of the OEM manufacturer.
The stated values may vary within the usual commercial range.